




d² Dura Grating 23mm Micro Mesh





d² Dura Grating 23mm Micro Mesh

Environmental Product Declaration | Type: Self-Declared



This covers all varients of d² Dura Grating 23mm Micro Mesh.


This is an ISO 14021 Type II EPD generated from a Life Cycle Assessment (LCA) performed using One Click LCA.

The results are a variant of a fully verified and published parent EPD and follow the Product Category Rules of EPD Hub Core PCR Version 1.2 (24 March 2025) and EN 15804+A2.

Global Warming Potential (GWP)

The GWP quantifies a product's contribution towards global warming and is sometimes referred to as its carbon footprint or embodied carbon.

Declared Unit		Mass of Declared	Unit	GWP Total A	1-A3	GWP Fossil A1-A3			
1	m²	11.5	kg	40.47	kg CO2e	40.37	kg CO2e		



Product Information

Product Name	d ² Dura Grating 23mm Micro Mesh
Product Description	d² Dura Grating Micro Mesh is a high-performance collection of Glass Reinforced Polymer (GRP) moulded grating panels, offering versatility for a wide range of applications. Compared to traditional GRP grating, d² Dura Grating is up to 33% lighter, reducing material consumption and lowering CO₂ impact. Its lightweight nature facilitates easier handling and faster installation, enhancing cost efficiency. Engineered for exceptional structural performance, it provides high load-bearing capacity with optimised material usage, ensuring long-term durability and safety. This EPD covers d² Dura Grating Micro Mesh 23mm which is available in sizes 3042x1041mm, 4076x1300mm, and 4076x1560mm. These panels are available in Dark Grey - this EPD covers all size and colour variants for the Micro Mesh 23mm panels. The mass used for these panels is 11.5kg/m².
Manufacturer	Dura Composites Ltd
Address	Dura House, Telford Road, Clacton-On-Sea, Essex, UK, CO15 4LP
About The Manufacturer	Dura Composites designs low-carbon GRP and aluminium walkway systems through its award-winning d² range. Serving industrial, rail, marine and architectural sectors, our products combine structural integrity with verified sustainability. Backed by three King's Awards for Enterprise, EPDs, fire compliance and Scope 3 data, Dura is globally recognised for innovation and trusted delivery.
Parent EPD Number	HUB-3303
Place of Production	China, UK
Period for Data	2024






System Boundary

The LCA for this product has been performed for the following system boundary, the results for A1-A3 are provided in this EPD.

PRODUCT STAGE CONSTRUCTION			USE STAGE							END OF LIFE STAGE				BEYOND THE SYSTEM BOUNDARY			
A1	A2	А3	Α4	A5	B1	B2	В3	B4	B5	В6	В7	C1	C2	C3	C4	D	
x	x	X	x	MND	Modules Not Declared							X	X	X	X	X	
Raw Materials	Transport To Site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational Energy	Operational Water	Deconstruction	Transport	Waste Processing	Disposal	Reuse, Recovery & Recycling	

Scope of Assessment

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3). The yellow highlights indicate the stages Dura Composites is involved in throughout the journey of the product.



Parent EPDs

The parent EPD used to generate this product variant has been third-party verified through EPD Hub. To access our independently verified EPDs, scan the QR code or visit www.duracomposites.com/epd-reports.







